

INDEX MAPS.

T. 6N, R. 5E. 2nd Mer.

	385-387	385-387	385-386	385-386	385-386	385						
388	6	414	5	413	4	411	3	409	2	406	1	384
	401	413		412		411		408		405		
388	7	401	8	412	9	410	10	408	11	404	12	384
	401		400	398	398	411	410	407		403		
388	18	400	17	397	16		15	407	14	403	13	383
	401		400	397	395		395	409	406	403		
388	19	399	20	397	21	394	22		23		24	383
	402		399		396	394	393	392	390		390	
387	30	399	29	396	28	394	27		26	390	25	383
	402		398	395	395	392	392	391		389		
387	31	398	32		33	392	34	391	35	389	36	383
				393								
	382		382		381		381		381		381	

Meanders 414

T. 7N, R. 5E. 2nd Mer.

	428-431	428-430	428-430	429-430	429	429						
433	6	454	5	449	4	445	3	441	2	437	1	427
	454	454	448	444	440	436						
432	7	453	8	448	9	444	10	440	11	436	12	427
	453	452	447	444	440	436						
432	18	452	17	447	16	443	15	439	14	435	13	427
	452	451	447	443	439	435						
432	19	451	20	446	21	442	22	439	23	435	24	426
	451	450	446	442	438	434						
431	30	450	29	446	28	442	27	438	26	434	25	426
	450	449	445	441	438	434						
431	31	449	32	445	33	441	34	437	35	433	36	425
	425-423	425-423	425-423	424-423	424-423	424-423	424-423	424-423	424-423	424-423	424-423	424-423

The figures on the lines refer to the page.

Township N. 6 North, Range N. 5 East T. 2 Mer. Indiana

South Boundary. var. 6. 30' E.

Nest On S. boundary of Sec. 36.

40.00 Set q. Sec. post, from which

a Sweet Gum 10 in. dia. bray N 54 E 12 lks. dist. of

a Do. 10 " " " S 13 E 16 " "

80.00 Set post Cor. to Sec. 35 & 36, from which

a Poplar 10 in. dia. bray N 75 E 25 lks. dist. of

an Ironw. 5 " " " S 17 E 12 1/2 " "

Flat Beech timbered land

Nest On S. boundary of Sec. 35,

34.50 a Poplar 29 in. dia.

40.00 Set q. Sec. post, from which

a Beech 10 in. dia. bray N 53 W 3 lks. dist. of

a Do. 20 " " " S 37 W 14 1/2 " "

80.00 Set post Cor. to Sec. 34 & 35, from which

a Hickory 12 in. dia. bray N 80 E 18 lks. dist. of

a Do. 8 " " " S 62 W 25 " "

Sand timber &c. same as on the last mile

Nest On S. boundary of Sec. 34

40.00 Set q. Sec. post, from which

a Gum 10 in. dia. bray S 48 E 5 lks. dist. of

a Beech 15 " " " N 52 E 32 lks. dist

44.50 a Brook 10 lks. wide Course N.

80.00 Set post Cor. to Sec. 33 & 34, from which

a Beech 10 in. dia. bray N 74 E 6 1/2 lks. dist. of

a Do. 12 " " " S 50 E 40 " "

This mile over good farming land timber
Beech & Hickory

Nest On S. boundary of Sec. 33

9.60 a Beech 20 in. dia.

40.00 Set q. Sec. post, from which

a Dogwood 6 in. dia. bray N 80 E 39 lks. dist. of

a Beech 10 " " " S 42 W 17 " "

T6N R5E 2^d Mer. Indiana

80.00 Set post Cor. to Sec. 32 & 33, from which
 a Beech 10 mi. dist. bray N 41 E 10 lks. dist. of
 a W. Ash 12 " " " S 52 W 28 " "
 Land timber &c. same as on the last mile

West On S. boundary of Sec. 32

20.25 a Spring run 10 lks. wide Course N

40.00 Set of Sec. post, from which
 a Logwood 6 mi. dist. bray S 41 W 8 lks. dist. of
 + a Passafay 6 " " " S 80 E 21 " "

62.20 Intersected Indian boundary, set post, from which
 a P. Oak 48 mi. dist. bray S 25 W 13 1/2 lks. dist. of
 a Beech 20 " " " S 45 E 34 " "

* Note - New bearing were taken at of Sec. Cor. by
 Mr. Henrie, which are the following
 a Logwood 6 mi. dist. bray S 78 E 12.30 lks. dist. of
 a Passafay 8 " " " N 48 E 12 " "

80.00 Set post Cor. to Sec. 31 & 32, from which
 an Ironw? 6 mi. dist. bray N 50 E 12 lks. dist. of
 a Logw? 6 " " " N 51 W 9 " "
 This mile over Rich broken land timber
 Poplar, Oak & Hickory

West On S. boundary of Sec. 31

9.70 a Spring run 6 lks. wide Course N.

40.00 Set of Sec. post, from which
 a P. Oak 20 mi. dist. bray S 86 E 55 lks. dist. of
 a W. Ash 30 " " " N 65 E 34 " "

62.00 to a large lick some appearance of iron ore

89.91 Intersected N. boundary 12.93 S. of post
 Set a post Cor. to ~~Section~~ Strip, 5 of 6 North,
 of 1 Range, 4 of 5 East, from which
 a Beech 20 mi. dist. bray N 52 W 13 lks. dist. of
 a Do. 9 " " " S 53 W 13 " "
 Land Hilly, timber Oak, Beech, Hickory &c

East Boundary var. 6. 30'

North On E. boundary of Sec. 36

- 40.00 Set the gr. Sec. post, from which
a Gum 20 in. dia. beam S 41 W 7 lks. dist. of
a Beech 8 " " " N 13 W 8 " "
80.00 a Beech 20 " " Cor. to Sec. 25 of 36
Land level timber Beech, Gum &c.

North On E. boundary of Sec. 25

- 40.00 Set the gr. Sec. post, from which
an Elm 20 in. dia. beam S 5 W 19 lks. dist. of
a Beech 10 " " " N 15 W 28 " "
80.00 Set a post Cor. to Sec. 24 of 25, from which
a Hickory 20 in. dia. beam N 25 W 6 lks. dist. of
a Beech 8 " " " S 63 W 12 " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 24

- 40.00 Set gr. Sec. post, from which
a Beech 20 in. dia. beam S 57 W 11 lks. dist. of
an Ironw. 6 " " " N 75 E 16 " "
80.00 Set a post Cor. to Sec. 13 of 24, from which
a Locust 24 S 59 E 13 lks. of a Beech 24 N 30 W 20 lks.
This mile Over good farming land, timber
Beech, Poplar, Oak & Sugar

North On E. boundary of Sec. 13

1. 82 Intersected the Indian boundary, set post, from
which a Hickory 20 in. dia. beam N 48 E 27 lks. dist. of
a W. Ash 20 " " " S 25 E 44 " "
Surveyed in 1806 by Arthur Henrie, U. S.
35.50 a Walnut 24 in. dia.
40.00 Set the gr. Sec. post, from which
a Sugar 10 in. dia. beam S 33 E 19 lks. dist. of
a P. Oak 24 " " " N 28 E 11 " "
Level land soil rich timber Beech Sugar, and g. Spruce

T6 N. R5 E, 2^d Mer. Indiana

- 50.20 a Walnut 30 in. dia.
 80.00 Set post Cor. to Sec. 12 of 13, from which
 a Gum 30 in. dia. bray N46 W 8 lks. dist. of
 a W. Oak 30 " " " N57 E 12 " "
 Sand timber &c. same as on first half mile

North On E. boundary of Sec. 12, T6 N. R5 E.

- 27.56 an Ash 20 in. dia.
 40.00 Set the gr. Sec. post, from which
 a Cherry 5 in. dia. bray N40 E 3 lks. dist. of
 a Beech 15 " " " N23 W 28 " "
 44.42 a Gum 25 " "
 79.70 Intersected White River 877 lks. wide run N72 W
 Set meander post from which
 a Beech 30 in. dia. bray N49 W 3 lks. dist. of
 a Sugar 12 " " " N45 E 30 " "
 80.00 Cor. to Sec. 1 of 12 in the River
 Land low rich timber Walnut, Ash, Elm,
 Hackberry &c. undergth Spruce

North On E. boundary of Sec. 1, T6 N. R5 E.

- 8.47 Set meander post on N. side of River from which
 a Sycamore 10 in. dia. bray N43 W 21 lks. dist. of
 a Do. 15 " " " N47 E 14 " "
 10.25 a Do 36 " "
 40.00 Set gr. Sec. post, from which
 a Sugar 15 in. dia. bray S89 E 25 lks. dist. of
 a Do 12 " " " N64 W 32 " "
 80.00 Set a post Cor. to Township N^o 6 of 7 North, of
 Range N^o 5 of 6 East, from which
 a Beech 20 in. dia. bray N44 W 14 lks. dist. of
 a Do 8 " " " " "
 Over level land, timber Sycamore, Beech &c.
 undergth Spruce. May 29th 1879.

North Boundary. var. 7.15' E.

T^h N. R5E 2^d. Mer. Indiana

East On Rand^m. S. boundary of Sec. 31, T^h N. R5E
 40.00 Set temp^y. q^r. Sec. post
 58.09 a creek 75 lks. wide Course South
 80.00 Set temp^y. post Cor. to Sec. 31 & 32, T^h N. R5E.
 Over level wet land timber Beech, Gum
 Elm &c. rich soil

East On Rand^m. S. boundary of Sec. 32, T^h N. R5E.
 40.00 Set temp^y. q^r. Sec. post
 80.00 Set temp^y. post Cor. to Sec. 32 & 33, T^h N. R5E.
 Land timber &c. same as on the last mile

East On Rand^m. S. boundary of Sec. 33, T^h N. R5E.
 40.00 Set temp^y. q^r. Sec. post
 80.00 Set temp^y. post Cor. to Sec. 33 & 34, T^h N. R5E.
 Over level land tim^b. Beech, Sugar Poplar, winding^m.
 Spruce &c. Soil rich

East On Rand^m. S. boundary of Sec. 34, T^h N. R5E.
 40.00 Set temp^y. q^r. Sec. post
 80.00 Set temp^y. post Cor. to Sec. 34 & 35, T^h N. R5E.
 Land timber &c. same as on the last mile

East On Rand^m. S. boundary of Sec. 35, T^h N. R5E.
 40.00 Set temp^y. q^r. Sec. post
 80.00 Set temp^y. post Cor. to Sec. 35 & 36, T^h N. R5E.
 Land timber &c. same as on the last mile

East On Rand^m. S. boundary of Sec. 36, T^h N. R5E
 40.00 Set temp^y. q^r. Sec. post
 87.80 Intersected the Range line 7 lks. 90 lks. — of post
 This mile Over level rich land timber Beech
 Sugar, Walnut &c.

May 28th 1819. Variation 7^h. 15' E.
 West On true line S. boundary of Sec. 36, T^h. 7^h N. R5E.

T6 N. R5 E. 2^d. Mer. Indiana

- 17.08 a Hackberry 30 in. diam.
 40.00 Let the q. Sec. post, from which
 a Beech 18 in. diam. bear N44W4 lks. dist. of
 a Do. 10 " " " N66E19 " "
- 68.71 a Beech 18 " "
 80.00 Let a post Cor. to Secs. 35 & 36, T7 N. R5 E, from which
 a Sugar 10 in. diam. bear N31W16 lks. dist. of
 a Walnut 20 " " " S31E8 " "

- West On true line S. boundary of Sec. 35, T7 N. R5 E
 21.84 a Beech 15 in. diam.
 40.00 Let q. Sec. post, from which
 a Beech 8 in. diam. bear N20W4 lks. dist. of
 a Sugar 12 " " " S66W12 " "
- 62.00 a Poplar 40 " "
 80.00 Let post Cor. to Secs. 34 & 35, T7 N. R5 E, from which
 a Sugar 15 in. diam. bear N42W8 lks. dist. of
 a Do. 14 " " " N76E37 " "

- West On true line S. boundary of Sec. 34, T7 N. R5 E.
 40.00 Let q. Sec. post, from which
 an Ironw. 10 in. diam. bear N45W16 lks. dist. of
 a Hickory 24 " " " S47E7 " "
- 65.81 a Beech 18 " "
 80.00 Let post Cor. to Secs. 33 & 34, T7 N. R5 E, from which
 a Beech 12 in. diam. bear S73E36 lks. dist. of
 a Do. 10 " " " S88W42 " "

- West On true line S. boundary of Sec. 33, T7 N. R5 E
 32.71 a W. Oak 18 in. diam.
 40.00 Let q. Sec. post, from which
 a Beech 20 in. diam. bear S85E28 lks. dist. of
 a Do. 13 " " " S71W19 " "
- 50.70 a Beech 36 " "
 80.00 Let post Cor. to Secs. 32 & 33, T7 N. R5 E, from which
 a Beech 20 in. diam. bear N60E24 lks. dist. of

Sec. 125 E. 2nd Mer. Indiana

387

a Beech 20 in. diam. brang N 17 W 19 lks. dist.

West On true line S. boundary of Sec. 32, T⁷N. R⁵E.

40.00 Set of Sec. post. from which
a Hickory 15 in. diam. brang N 48 W 14 lks. dist. of
a Do. 13 " " " N 71 E 26 " "

42.53 a Hickory 24 " "

80.00 Set post Cor. to Sec. 31 & 32, T⁷N. R⁵E. from which
a Beech 18 in. diam. brang N 33 W 14 lks. dist. of
a Gum 24 " " " N 63 W 20 " "

West On true line S. boundary of Sec. 31, T⁷N. R⁵E.

40.00 Set of Sec. post. from which
a Beech 8 in. diam. brang N 67 W 6 lks. dist. of
a Maple 12 " " " N 45 E 28 " "

87.80 Intersected the Range line at Cor. to Township
6 of T⁷N. Range 4 of 5 East.

Saturday 29th May 1819. John M. McDonald D.S.

West Boundary var. 6° 30' E.

North On E. boundary of Sec. 36, T⁶N. R⁴E.

40.00 Set of Sec. post on the N.W. side of White River
a Beech 20 in. diam. brang N 11 E 24 lks. dist. of
a Do. 20 " " " N 75 E 19 " "

80.00 Set a post Cor. to Sec. 25 & 36, T⁶N. R⁴E. from which
a Walnut 12 in. diam. brang N 60 W 14 lks. dist. of
an Elm 10 " " " N 75 W 12 " "

(description of land &c. Omitted)

North On E. boundary of Sec. 25, T⁶N. R⁴E.

40.00 Set of Sec. post from which
a W. Oak 18 in. diam. brang N 36 W 15 lks. dist. of
a Hickory 8 " " " N 74 W 6 " "

80.00 Set a post Cor. to Sec. 24 & 25, T⁶N. R⁴E. from which
a Hickory 20 in. diam. brang N 11 E 16 lks. dist. of
an Elm 9 " " " N 72 W 14 " "

T6N R5E T. Mer. Indiana

Land level, timber Oak, Hickory, Elm
Ash &c.

North On E. boundary of Sec. 24, T6N, R4E.

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bear S 9 E 22 1/2 hrs. dist. of

a Hickory 12 " " " N 9 E 10 " "

80.00 Set post Cor. to Sec. 13 of 24, T6N, R4E, from which

an Elm 15 in. dia. bear S 17 W 15 hrs. dist. of

a Do 8 " " " S 79 W 15 " "

Land flat, timber Elm, Ash &c. very brushy

North On E. boundary of Sec. 13, T6N, R4E

11.30 a Beech 12 in. dia.

40.00 Set of Sec. post, from which

a W. Oak 30 in. dia. bear S 27 E 6 hrs. dist. of

a Gum 15 " " " N 45 E 19 " "

47.10 a Sweet Gum 24 in. dia.

80.00 Set post Cor. to Sec. 12 of 13, T6N, R4E, from which

a W. Oak 20 in. dia. bear S 42 E 7 hrs. dist. of

an Elm 8 " " " S 60 W 23 " "

Land timber &c. same as on the last mile

North On E. boundary of Sec. 12, T6N, R4E.

14.50 a Creek 75 hrs. wide Course S. W.

40.00 Set of Sec. post, from which

a Maple 18 in. dia. bear South 40 hrs. dist. of

a W. Oak 10 " " " N 5 E 29 " "

80.00 Set post Cor. to Sec. 1 of 12, T6N, R4E. from which

a Beech 22 in. dia. bear S 26 E 44 hrs. dist. of

a B. Oak 20 " " " S 24 W 34 " "

Land flat, timber Elm, Ash &c. very brushy

North On E. boundary of Sec. 1, T6N, R4E.

40.00 Set of Sec. post from which

a W. Oak 40 in. dia. bear S 10 E 16 hrs. dist. of

a Logw. 6 in. dia. beam N16W10 lns. dist. 5
 59.64 Set post on Indian boundary line from which
 a Beech 8 in. dia. beam N78W10 lns. dist. 5
 a Ho. 20 " " " S82E23 " "
 Land hilly, timber Oak & Hickory
 April 25th 1814 Arthur Henric, L. S.
 76.80 Set a post Cor. to Townships N. 6 & 7 North
 Range, N. 4 & 5 East from which
 a Beech 10 in. dia. beam N77E30 lns. dist. 5
 a Ho 20 " " " S61W10 " "
 17 chains & 16 links of this line was run by John
 McDonald, L. S. May 28th 1819

Subdivision. Dec. 6th 1806
 North Between Sec. 35 & 36, T6 N. R5 E.
 19.48 a Gum 20 in. dia.
 40.00 Set q. Sec. post, from which
 a Beech 18 in. dia. beam N55E31 lns. dist. 5
 a W. Oak 36 " " " S62W18 " "
 58.61 a W. Oak 16 " "
 80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which
 a W. Oak 50 in. dia. beam N20W30 lns. dist. 5
 an Ash 9 " " " S86E16 " "
 Land 1st rate, timber Oak, Ash, Hickory, level
 underg^g. Spruce &c.

East On Rand. between Sec. 25 & 36, T6 N. R5 E

40.00 Set temp^y q. Sec. post

78.67 Intersected the E. boundary 166 lns. S. of post
 Land low level wet soil, timb. Beech, S. Oak, Gum &c

West Connected between Sec. 25 & 36

39.33 1/2 Set q. Sec. post at average dist. from which

T6N R5E.2 Mer. Indiana

an Ash 10 in. dia. bray N72E 8 lks. dist. of
 a S. Oak 11 " " " S38W22 " "
 78.67 to Sec. Corner.

North Between Sec. 25 of 26, T6N. R5E.

15.80 a Gum 36 in. dia.

40.00 Set of Sec. post, from which

a Beech 18 in. dia. bray S42E 27 lks. dist. of

a Ho. 16 " " " N31W27 " "

50.80 a W. Oak 30 " "

80.00 Set a post cor. to Sec. 23, 24, 25, 26, from which

a Beech 16 in. dia. bray N63E 38 lks. dist. of

an Elm 14 " " " S47W45 " "

Land rich, very bushy, briery & timber. Oak, Beech &c

East On Rand. between Sec. 24 of 25, T6N. R5E.

40.00 Set temp. of Sec. post

78.81 Intersected the E. boundary at the post

Land 1st 1/2 mile 1st rate, timber Beech, Sugar
 &c. 2nd 1/2 mile low wetland Maple &c.

West Corrected between Sec. 24 of 25

39.40 Set of Sec. post at average dist. from which

a Maple 14 in. dia. bray S75E 18 lks. dist. of

an Ash 16 " " " N20W — " "

78.81 to Sec. Corner.

North Between Sec. 23 of 24, T6N. R5E.

25.25 Intersected Indian boundary line set post from

which a Beech 16 in. dia. bray S45W27 lks. dist. of

an Ash 8 " " " S66W22 " "

Land timber &c. same as on the last mile

T6N R5E 2^d Mer. Indiana

North Between Secs. 34 & 35, T6N R5E

21.72 a Hickory 30 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 16 in. dia. by N40°W 36th dist. of

a No. 14 " " " N22°E 14 " "

55.26 a Beech 20 " "

80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which

a Beech 20 in. dia. by N67°W 6th dist. of

a No. 12 " " " N46°E 37 " "

Land good Soil, brushy, briars, timber
Oak, Birch &c.

East On Rand. betwn. Secs. 26 & 35, T6N R5E.

40.00 Set temp. gr. Sec. post

79.25 Intersected the N & S. 159th S. of post

Land rich, very brushy, briars, timber, ash, Beech &c.

West Connected between Secs. 26 & 35

39.62 1/2 Set gr. Sec. post, at average dist, from which

a Dogwood 5 in. dia. by N12°W 7th dist. of

a Hickory 11 " " " N57°E 16 " "

79.25 to Sec. Corner.

North Between Secs. 26 & 27, T6N R5E.

11.82 a B. Walnut 40 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 18 in. dia. by N39°W 11th dist. of

a No. 50 " " " N72°E 15 " "

55.82 Intersected Indian boundary line, Set post, from which

a Beech 14 in. dia. by N18°W 7th dist. of

a W. Oak 36 " " " S80°E 40 " "

Land rich, timber Ash, Walnut, Beech &c.

T6 N R5 E. 2^d. Mer. Indiana

West Between Secs. 23 & 26, T6 N. R5 E.

- 39.20 Intersected Indian boundary line, set post, from which
 an Ash 24 in. dia. bran N20W 3 lks. dist. of
 a Beech 9 " " " East 41 " "
 Sand timber &c. same as on the last mile

North Between Secs. 33 & 34, T6 N. R5 E.

27.50 a P. Oak 20 in. dia.

- 40.00 Set gr. Sec. post, from which
 a Coff tree 11 in. dia. bran N28W 8 lks. dist. of
 a Poplar 40 " " " S50E 24 " "

61.13 a Beech 16 in. dia.

- 80.00 Set post Cor. to Secs. 27, 28, 33 & 34, from which
 a W. Walnut 16 in. dia. bran N66W 33 lks. dist. of
 a Mulberry 16 " " " N89E 32 " "
 Sand good soil part brushy some fallen timber

East On Rand^m. between Secs. 27 & 34, T6 N. R5 E.

22.00 a run 10 lks. wide Course N.W.

40.00 Set temp^y. gr. Sec. post

- 78.30 Intersected the N & S. line 220 lks. S. of post
 Sand level & rich

West Cor. betw. Secs. 27 & 34

- 39.15 Set gr. Sec. post at average dist. from which
 a Logwood 6 in. dia. bran N10W 14 lks. dist. of
 a Beech 4 " " " N20W 5 " "

78.30 to Sec. Corner.

North Between 27 & 28, T6 N. R5 E.

- 7.37 Intersected Indian boundary line, set post, from which
 a Sugar 12 in. dia. bran S44W 40 lks. dist. of
 a Ho. 10 " " " S43E 26 " "

Sand timber &c. Same as on the last mile

West Between Secs. 28 & 33, T6 N, R5 E.

11.13 Intersected Indian boundary line, set post for which
a Coffeetree 9 in. dia. is marked as corner
Land rich, timber Ash, Poplar, Walnut &c.

North Between Secs. 32 & 33, T6 N, R5 E.

15.77 a W. Oak 24 in. dia.

— a run 6 lks. wide Course West

38.25 Intersected Indian boundary line, set post, from which
a W. Oak 18 in. dia. bran S 40 E 39 lks. dist. of
a Beech 10 " " " S 20 W 22 " "

Land rich & hilly, timber Oak, Beech &c.

Saturday Dec. 6th 1806

Surveyed by Joseph A. Larnill, M.S.

In Harrison's Purchase

North Between Secs. 26 & 27, T6 N, R5 E.
from the q. Sec. post

40.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which
an Ironw. 8 in. dia. bran S 26 E 14 lks. dist. of
an Elm 6 " " " N 20 W 8 " "

Land rich & level, timber Hackberry & Ash

East On Rand. between Secs. 23 & 26, T6 N, R5 E.

40.00 Set temp. q. Sec. post

80.10 Intersected the N & S. line at the post

Sand timber &c. Same as on the last mile

West Corrected between Secs. 23 & 26

40.05 Set q. Sec. post at average dist. from which
a Poplar 40 in. dia. bran South 84 lks. dist. of

T6N R5E. 2^d Mer. Indiana

a W. Oak 20 mi. dist. by N52W95 lks. dist. of
80.10 to Sec. Corner

North Between Secs. 22 & 23, T6N R5E.

40.00 At the gr. Sec. post, from which

a Beech 18 mi. dist. by S13W14 lks. dist. of

a Do — " " " N88E19 " "

50.10 At a post on the Boundary, from which

a Beech 20 mi. dist. by S16W39 lks. dist. of

a Do. 20 " " " S75W35 " "

(description of the land &c. Omitted)

North Between Secs. 27 & 28, T6N R5E.

40.00 At gr. Sec. post, from which

a Sugar 10 mi. dist. by S10E30 lks. dist. of

a Do. 10 " " " N51W9 " "

56.46 a Pond 200 lks. wide E & W.

76.50 a Sycamore 20 mi. dist. Cor. on left bank of
White River.

80.00 Cor. to Secs. 21, 22, 27 & 28 in the River

Sand timber &c. Same as on the last mile

West Between Secs. 26 & 27, T6N R5E.

40.00 At gr. Sec. post, from which

a Red Oak 6 mi. dist. by S80W10 lks. dist. of

a Do. 5 " " " S44W7 " "

73.50 At post Left bank of White River from which

a Sycamore 10 mi. dist. by N26E12 lks. dist. of

a Cottonwood 8 " " " S51W10 " "

(description of land &c. Omitted)

North Between Secs. 21 & 22, T6N R5E.

5.00 At post on Right bank of White River from which

- a Cottonwood 20 in. dia. - bray N74W23 lbs. dist. of
 a Red Haw 8 " " " N74E3 " "
 40.00 Let gr. Sec. post, from which
 a Beech 10 in. dia. - bray N26E9 lbs. dist. of
 a Do. 40 " " " N44W20 " "
 80.00 Let post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 30 in. dia. - bray N77W49 lbs. dist. of
 a Do. 30 " " " East 47 " "
 Sand timber &c. same as on the last mile

East Between Sec. 15 & 22, T6 N. R5 E.

- 40.00 Let the gr. Sec. post, from which
 a Hackberry 10 in. dia. - bray N74W13 lbs. dist. of
 a Do. 12 " " " S29W21 " "
 48.00 Let a post on Indian boundary, from which
 a Buckeye 10 in. dia. - bray S4E22 lbs. dist. of
 a Sugar 10 " " " S25E20 " "
 Sand timber &c. same as on the last mile

North Between Sec. 15 & 16, T6 N. R5 E.

- 36.19 Let a post on Indian boundary, from which
 a Beech 18 in. dia. - bray S38E15 lbs. dist. of
 a Do. 12 " " " S54W19 " "
 Sand timber &c. same as on the last mile

North Between Sec. 32 & 33, T6 N. R5 E.

- 40.00 Let gr. Sec. post from which
 a B. Oak 20 in. dia. - bray S39W17 lbs. dist. of
 a Hickory 6 " " " N55E18 " "
 80.00 a Beech 18 in. dia. - Cor. to Sec. 28, 29, 32 & 33
 Sand rolling timber Oak & Hickory

East On Rand. between Sec. 28 & 33, T6 N. R5 E.

T6 N. R5 E. 3^d Mer. Indiana

40.00 Set trip 7. gr. Sec. post
 79.82 Intersected the N & S. line 200 lks. S. of post
 Sand level of rich timber Beech, Sugar, Walnut &c

West Corrected between Sec. 28 & 33

39.91 Set gr. Sec. post at average dist. from which
 a Sugar 12 in. dia. bran S60 W 43 lks. dist. of
 a Beech 20 " " " N10 E 17 " "

79.82 to Sec. Corner.

North Between Sec. 28 & 29, T6 N. R5 E.

23.78 Set post on Left bank of W. River, from which
 a Sycamore 18 in. dia. bran S23 W 13 lks. dist. of
 a do. 20 " " " N54 E 15 " "

31.00 Set post on Right bank W. River, from which
 an Elm 20 in. dia. bran N50 W 12 lks. dist. of
 an Arroww. 4 " " " S83 W 12 " "

40.00 Set gr. Sec. post, from which
 a Locust 20 in. dia. bran S61 W 7 lks. dist. of
 a Buckeye 10 " " " S34 E 22 " "

80.00 Set a post cor. to Sec. 20, 21, 28 & 29, in a Pond
 200 lks. wide Course N. E. & S. E.

(description of land &c omitted)

East Between Sec. 21 & 28, T6 N. R5 E.

40.00 Set gr. Sec. post, from which
 a Beech 24 in. dia. bran N38 E 25 lks. dist. of
 a do. 18 " " " S75 E 50 " "

41.77 Set post on Right bank of W. River, from which
 an Ironwood 8 in. dia. bran S31 W 8 lks. dist. of
 a Hackberry 12 " " " N16 E 14 " "

49.00 Set post on Left bank of River
 (Bearings Omitted.)

69.00 Set post on left bank of River again
(Bearings, Description of Land &c. Omitted)

North Between Sec. 20 & 21, T6N. R5E

40.00 Set gr. Sec. post, from which
an Elm 20 in. dia. bray N 21° W 22 lks. dist. of
a B. Elder 5 " " " S 76° E 14 " "

60.00 a Pond 500 lks. wide

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Gum 6 in. dia. bray S 42° W 2 lks. dist. of
a Do. 6 " " " S 83° E 13 " "
Land level timber Elm, Ash, Oak & Hickory

East On Land^m. betwⁿ. Sec. 16 & 21, T6N. R5E.

40.00 Set temp^y. gr. Sec. post

80.00 Intersected the N & S. line 12 lks. N. of post
Land timber &c. Same as on the last mile

West Connected between Sec. 16 & 21

40.00 Set gr. Sec. post at av^g. dist. from which
a Hackberry 12 in. dia. bray N 46° E 7 lks. dist. of
an Elm 28 " " " S 79° E 20 " "

80.00 to Sec. Corner.

North Between Sec. 16 & 17, T6N. R5E

40.00 Set gr. Sec. post, from which
a Beech 12 in. dia. bray N 61° E 11 lks. dist. of
a Do. — " " " N 79° E 23 " "

80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 10 in. dia. bray N 16° W 13 lks. dist. of
a Do. 12 " " " S 16° E 21 " "
Land timber &c. Same as on the last mile

T6N R5E 2nd Mer. Indiana

East Between Secs. 9 & 16, T6N. R5E.

22.18 Set a post on Indian boundary, from which
 a Beech 12 m. dist. by N 29° W 10 lks. dist. of
 a do. 16 " " " S 42° E 24 " "
 Sand timber &c. Same as on the last mile

North Between Secs. 8 & 9, T6N. R5E.

16.60 Set post on Indian boundary, from which
 a Beech 20 m. dist. by N 46° E 28 lks. dist. of
 a do. 6 " " " S 58° W 19 " "
 Sand timber &c. Same

North Between Secs. 31 & 32, T6N. R5E.

40.00 Set q. Sec. post, from which
 a Beech 6 m. dist. by N 24° W 16 lks. dist. of
 a W. Oak 12 " " " S 48° W 19 " "
 55.50 Set post on Left bank of W. River, from which
 a Hackberry 10 m. dist. by N 66° W 12 lks. dist. of
 a Sycamore 20 " " " N 33° E 27 " "
 63.35 Set a post on Right bank of River from which
 a Locust 12 m. dist. by N 82° E 8 lks. dist. of
 a Buckeye 10 " " " N 54° E 16 " "
 80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which
 a Beech 10 m. dist. by N 12° E 27 lks. dist. of
 a Walnut 18 " " " S 19° W 27 " "
 (description of land &c. omitted)

East Between Secs. 29 & 32, T6N. R5E

40.00 Set q. Sec. post, from which
 a Hackberry 10 m. dist. by N 35° E 22 lks. dist. of
 a Sycamore 40 " " " S 60° E 19 " "
 54.50 Set post on Right bank of River from which
 a Sycamore 12 m. dist. by N 86° W 12 lks. dist.

399

T6 N R5 E 2^d. Mer. Indiana

a Red Haw 6 in. dia. bray S 86 E 6 lks. dist. of
West between Sec. 29 & 32, from Cor. to Sec. 28, 29, 32, 33.
18.50 Set post on Left bank of River, from which
a Sycamore 18 in. dia. bray S 83 E 38 lks. dist. of
a Do. 10 " " " N 72 W 19 " "
Land &c. Same as last mile.

North Between Sec. 29 & 30, T6 N. R5 E.
40.00 a Beech 18 in. dia. of Sec. Corner.
80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
a W. Oak 10 in. dia. bray S 37 W 36 lks. dist. of
a Gum 12 " " " S 84 E 16 " "
Land level & rich, timber Oak, Hickory & Beech

East On Land^m between Sec. 20 & 29, T6 N. R5 E.
40.00 Set temp. of Sec. post
79.00 to a Pond
80.18 Intersected the N & S. line at post
Land timber &c. Same as on the last mile

West Corrected between Sec. 20 & 29, T6 N. R5 E.
40.09 Set of Sec. post at average dist. from which
a Hackberry 18 in. dia. bray N 64 W 15 lks. dist.
a Beech 10 " " " S 80 W 29 " "
80.18 to Sec. ⁴ Corner

North Between Sec. 19 & 20, T6 N. R5 E.
27.75 a Sweet Gum 20 in. dia.
40.00 Set of Sec. post, from which
a Gum 24 in. dia. bray S 8 E 22 lks. dist. of
a Beech 10 " " " S 10 W 19 " "
80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 20 in. dia. bray S 46 E 17 lks. dist. of

T6N R5E T. Mer. Indiana

a Beech 10 mi. dist. bear S 72° W 26 lks. dist. of
Sand timber &c same as on the last mile

East On Rand. between Sec. 17 & 20, T6N, R5E

40.00 Set temp. q. Sec. post

80.10 Intersected the N & S. line 20 lks. N. of post
Sand timber &c same as on the last mile

West Corrected between Sec. 17 & 20

40.05 Set q. Sec. post at average dist. from which
an Elm 12 mi. dist. bear East 2 lks. dist.
No other

80.10 to Sec. Corner.

North Between Sec. 17 & 18, T6N, R5E.

40.00 Set q. Sec. post, from which

a W Oak 12 mi. dist. bear S 41° W 29 lks. dist. of

a Hackberry 12 " " " S 72° W 22 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which

a Beech 12 mi. dist. bear S 2° E 21 lks. dist. of

a Do. 12 " " " S 19° W 11 " "

Sand timber &c. same as on the last mile

East On Rand. between Sec. 8 & 17, T6N, R5E.

40.00 Set temp. q. Sec. post

80.25 Intersected the N & S. line 19 lks. S. of post
Sand, timber &c same as on the last mile

West Between Sec. 8 & 17 (Corrected)

40.12 1/2 Set q. Sec. post at average dist. from which

a Beech 18 mi. dist. bear N 60° W 14 lks. dist. of

a Do. 12 " " " S 22° E 8 " "

80.25 to Sec. Corner.

North Between Secs. 7 & 8, T6 N R5 E.

- 40.00 Set of Sec. post, from which
 a Sweet Gum 29 in. dia. - bear S 1 E 45 lbs. dist. of
 a Maple 24 " " " N 16 W 23 " "
 75.30 Set post on Indian boundary, from which
 a Beech 10 in. dia. - bear S 26 W 7 lbs. dist. of
 a No. 20 " " " N 76 E 8 " "
 Sand timber &c same as on the last mile

East Between Secs. 6 & 7, T6 N R5 E

- 17.00 a Brook 50 lbs. wide Course S. W.
 40.00 Set of Sec. post. (Bearings Omitted)
 (This post should stand at 40 chains from the)
 Cor. to Secs. 5, 6, 7 & 8 & of Course is wrong. S. M.
 80.32 Set a post on Indian boundary, from which
 a Beech 10 in. dia. - bear N 19 E 4 lbs. dist. of
 a No. 10 " " " S 55 W 16 " "
 Sand flat & wet, timber Beech, Oak, Ash & Maple

West Between Secs. 7 & 8, T6 N R5 E.

- 40.00 Set the of Sec. post, from which
 a Beech 12 in. dia. - bear S 73 W 26 lbs. dist. of
 a No. 8 " " " N 80 W 10 " "
 86.75 Intersected W. boundary at the post
 Sand timber &c same as on the last mile

West Between Secs. 18 & 19, T6 N R5 E.

- 40.00 Set of Sec. post, from which
 a Sycamore 6 in. dia. - bear S 58 W 12 lbs. dist. of
 a Gum 12 " " " N 88 E 12 " "
 87.50 Intersected W. boundary at the post
 Sand timber &c. same as on the last mile

T6N - R5E. 2^d. Mer. Indiana

West Between Secs. 19 & 30, T6N, R5E.

40.00 Set q^r. Sec. post, from which

a W. Ash 12 in. dia. bray S 82° W 29 lks. dist. of

a Cherry 6 " " " N 89° E 10 " "

87.50 Intersected the W. boundary 50 lks. S. of post

Set a post Cor. to Secs. 19 & 30, from which

a Hickory 18 in. dia. bray N 20° E 32 lks. dist. of

a Ho. 10 " " " S 12° W 11 " "

Sand timber &c. Same as on the last mile

West Between Secs. 30 & 31, T6N, R5E.

40.00 Set q^r. Sec. post, from which

a Beech 24 in. dia. bray N 80° E 37 lks. dist. of

an Ironw^d 6 " " " S 1° E 13 " "

88.22 Intersected the W. boundary 70 lks. S. of post

Set a post Cor. to Secs. 30 & 31, from which

a Hackberry 12 in. dia. bray N 79° E 26 lks. dist. of

a Ho. 10 " " " S 7° W 5 " "

Sand level & rich, timber Walnut, Ash, Hackberry
&c. undg^d. Spruce & Haw.Surveyed in 1815, by Arthur Hennie, L. S.
(For Meander See end of Township)

In the New Purchase. var. 6.30.6

North Between Secs. 23 & 24, T6N, R5E.

Commencing on the old Indian boundary

14.72 Set q^r. Sec. post, from which

a Beech 12 in. dia. bray N 72° W 25 lks. dist. of

a Sugar 10 " " " S 34½° E 16 " "

35.04 a Beech 18 " "

54.75 Set post Cor. to Secs. 13, 14, 23 & 24, from which

a Beech 18 in. dia. bray N 76° E 23 lks. dist. of

a Ho. 12 " " " N 38° W 4 " "

T6 N. R5 E. 2^d. Mer. Indiana

Land level 1st rate, timber Beech, Sugar, Hackberry
Walnut, Poplar &c. undergnd Spice

East On Land^m betwⁿ Sec. 13 & 14, T6 N. R5 E.

40.00 Set temp^l. gr. Sec. post

80.08 Intersected the E. boundary 66 lks. N. of post
Land level 1st rate, Sugar, Walnut, Hickory, Ash
Hackberry &c. undergnd Spice & pawpaw

West Corrected between Sec. 13 & 14

40.04 Set gr. Sec. post at average dist on true line in
a small field no bearing trees

80.08 to Sec. corner.

North Between Sec. 13 & 14, T6 N. R5 E.

26.66 a Beech 10 in. dia.

40.00 Set gr. Sec. post, from which

a Hackberry 6 in. dia. bears N 38 E 14 lks. dist. of

a do. 8 " " " S 37 W 15 " "

67.12 Set post on left bank of E. F. of W. River, from which

a Sugar 18 in. dia. bears S 27 W 32 lks. dist. of

a Blue Ash 10 " " " S 26 E 34 " "

72.83 a small Sycamore 8 in. dia. cor. on the Right
bank of East Fork of White River. this post
stands on a high sand bank - no bearing trees

80.00 Set a post cor. to Sec. 11, 12, 13 & 14, from which

a Sycamore 12 in. dia. bears S 65 W 10 lks. dist. of

a do. 15 " " " N 46 E 13 " "

1st 1/2 mile level bottom - last 1/2 mile River &
low bottom, Sugar, Hackberry, Buckeye, Sycamore
&c. undergnd Spice & pawpaw.

East On Land^m between Sec. 12 & 13, T6 N. R5 E.

S6 N. R5 E. 2^d. Mer. Indiana

- 4.14 to Driftwood Fork of White River
 10.00 to left bank of Driftwood Fork of White river
 40.00 Set temporary gr. Sec. post
 80.64 Intersected E. boundary 60 hrs. N. of post
 First $\frac{1}{2}$ mile river flow bottom - last $\frac{1}{2}$ mile 1st
 rate bottom, Sugar, Hackberry, Walnut, Elm &c.
 undergth. Spice
- Met Corrected between Secs. 12 & 13
 40.32 Set gr. Sec. post at average dist. from which
 called Oak 30 in. dia. bay N57 E 13 hrs. dist. of
 a Hackberry 10 " " " S28 E 10 " "
 70.64 Set post on left Bank of River, from which
 a Cottonwood 24 in. dia. bay N27 W 18 hrs. dist. of
 a Water Maple 12 " " " S38 E 27 " "
 76.50 Set post on right bank of River, on a high sand
 bank - no bearing trees.
 80.64 to Sec. Corner. August 24th 1819

North Between Secs. 11 & 12, S6 N. R5 E.

- 3.70 Set a post on right bank of the Driftwood Fork
 of White River, from which
 a Mulberry 10 in. dia. bay N75 W 7 hrs. dist. of
 a Cottonwood 12 " " " S6 W 24 " "
 10.61 Set post on Left bank of River, from which
 a W. Maple 6 in. dia. bay S35 W 10 hrs. dist. of
 a Cottonw. 10 " " " N84 E 13 " "
 40.00 Set gr. Sec. post, from which
 a Sugar 12 in. dia. bay N60 W 19 hrs. dist. of
 a No. 15 " " " S42 E 23 " "
 49.00 Set post on Left bank of River - on a bank covered
 with small bushes, no bearing trees
 53.66 Set post on right bank of River, from which

T. N. R. S. E. 2^d. Mer. Indiana

405

a Hackberry 6 in. dia. bray N 76 W 18 lks. dist. of
 a Do. 36 " " " N 6 E 41 " "
 80.00 Set a post Cor. to Sec. 1, 2, 11, 12, from which
 a Sugar 10 in. dia. bray S 54 E 13 lks. dist. of
 a Do. 12 " " " N 67 1/2 W 29 " "
 Generally over low bottom, Sycamore, Cottonwood,
 Hackberry, Sugar tree &c.

East On Rand. betw. Sec. 1 & 12, T. N. R. S. E.
 22.50 to Right bank of Driftwood Fork of White River
 40.00 to Right bank of River east side of bend
 Set temp. q. Sec. post
 55.00 to Right bank of River again
 61.50 Over River to Left bank
 81.50 Entered the E. boundary 12 lks. S. of post
 Over low bottom Sycamore & Cottonwood

West Connected between Sec. 1 & 12
 20.00 Set post in thicket on Left bank of W. River
 no bearing trees.
 26.50 Set post on Right bank of River, from which
 a Sycamore 30 in. dia. bray West 14 lks. dist. of
 a Red bud 6 " " " N 68 E 20 " "
 40.75 Set q. Sec. post at average dist. on true line
 on the Right bank of River, from which
 a Red Locust 4 in. dia. bray S 87 W 25 lks. dist. of
 no other bearing tree
 59.00 Set post on Right bank of River West side of
 the Bend, from which
 a W. Elm 6 in. dia. bray North 26 lks. dist. of
 a Box Elder 6 " " " S 4 W 8 " "
 81.50 to Sec. Corner

T6 N. R5 E - 2^d. Mer. Michigan

North / Between Sec. 1 & 2, T6 N. R5 E.

- 17.83 a Beech 12 in. dia.
 40.00 Set gr. Sec. post, from which
 a W. Elm 20 in. dia. bray N 75 W 19 lks. dist. of
 a R. Oak 36 " " " N 47 E 43 " "
 60.00 a Walnut 30 " "
 74.00 Intersected the N. boundary 140 lks. N. of post
 Set a post cor. to Sec. 1 & 2, from which
 a Beech 15 in. dia. bray S 44 E 18 lks. dist. of
 a Do. 12 " " " S 77 W 17 " "
 Level land Sugar, Beech, Oak, Walnut, Elm,
 Hackberry, undugth. Spruce & sparrow
-

North / Between Sec. 22 & 23, T6 N. R5 E.

(Commencing on Indian boundary line)

- 5.31 Set post on the Left bank of the East Fork of
 White River, from which
 a Beech 8 in. dia. bray S 12 W 7 lks. dist. of
 a Do. 24 " " " S 35 E 21 " "
 11.36 Set post on the Right bank of River from which
 a Cottonwood 12 in. dia. bray N 63 W 90 lks. dist. of
 a Do. 5 " " " N 44 E 10 " "
 29.90 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
 a Sugar 12 in. dia. bray S 66 W 30 lks. dist. of
 a Do. 15 " " " S 13 E 10 " "
 Over river & low bottom, Sugar, Cottonw. & Sycamore
-

East On Rand. between Sec. 14 & 23, T6 N. R5 E.

- 18.22 to Right bank of Driftwood Fork of White River
 25.16 to Left bank of said River
 40.00 Set temp. gr. Sec. post
 79.60 Intersected the N. & S. line 467 lks. S. of post
 First 1/2 mile low bottom river - last 1/2 mile 1st rate

T6 N. R5 E. 2^d. Mer. Indiana

407

Bottom, Sugar, Hackberry, Walnut, Sycamore &c.
underg^d. Spice & pawpaw

West Corrected between Sec. 14 & 13,

39.80 Set gr. Sec. post, at average dist from which
a Hackberry 16 m. dist. bear S 74° 18' W 18 lks. dist. of
a W. Elm 6 " " " N 31° E 14 " "

54.14 Set post on Left Bank of River, from which
a W. Maple 12 m. dist. bear S 46° E 23 lks. dist. of
a Sycamore 8 " " " N 31° E 14 " "

61.38 Set post on Right Bank of River, from which
a W. Elm 10 m. dist. bear S 44° E 32 lks. dist. of
a W. Ash 10 " " " N 61° W 20 " "

79.60 to Sec. Corner.

North Between Sec. 14 & 15, T6 N. R5 E.

27.72 a Buckeye 12 m. dist.

40.00 Set gr. Sec. post, from which
a Hickory 10 m. dist. bear N 70° E 7 lks. dist. of
a Hackberry 15 " " " N 88° W 11 " "

61.12 a Do. 18 " "

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
a Beech 24 m. dist. bear S 45° E 56 lks. dist. of
a Do. 15 " " " N 36° 1/2° W 18 " "

Over 1st. rate bottom, Sugar, Hackberry, Walnut
Buckeye &c. underg^d. Spice & pawpaw

August 25th. 1819

East On Rand^m. betwⁿ. Sec. 11 & 14, T6 N. R5 E.

40.00 Set temp^y. gr. Sec. post

52.20 to the Right bank of Driftwood Fork of White River

68.73 to Right bank again, E. side of Rand.

79.76 Intersected the N & S line 457 lks. S. of post

T6 N. R5 E. 2nd. Mer. Indiana

Land level good bottom, Sugar, Beech,
Hackberry, Walnut, Buckeye, Sycamore &c

West Connected between Sec. 11 & 14

- 11.03 Set post on Right bank of River from which
a Willow 8 m. dist. by N30 E 23 lks. dist. of
a Sycamore 10 " " " N17 E 21 " "
27.56 Set post on Right bank of River N. side of bend
from which
a Buckeye 10 m. dist. by West 31 lks. dist. of
a Do. 12 " " " N60 E 17 " "
39.88 Set gr. Sec. post at average dist. from which
a W. Elm 18 m. dist. by S60 W 20 lks. dist. of
a Do. 16 " " " N20 W 17 " "
79.76 to Sec. Corner

North Between Sec. 10 & 11, T6 N. R5 E.

- 40.00 Set gr. Sec. post, from which
a W. Elm 10 m. dist. by N60 E 20 lks. dist. of
a Buckeye 12 " " " N50 W 22 " "
52.50 a Buckeye 12 " "
80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
a Beech 18 m. dist. by S47 E 35 lks. dist. of
a P. Oak 30 " " " S67 W 18 " "
Over 1st rate Bottom, Beech, Sugar Oak, Hickory
Buckeye, Hackberry, Walnut &c. underg. Spruce

East On Land between Sec. 2 & 11, T6 N. R5 E.

- 40.00 Set temp. gr. Sec. post
79.94 Intersected the N & S. line 466 lks. S. of post
Over level bottom, Beech, Sugar, Red Oak,
Bur Oak, Ash &c. underg. Spruce & pawpaw.

West Corrected between Sec. 2 & 11

39.97 Let q. Sec. post at average dist from which
a Hickory 15 in. dia. - bray S 47 E 18 lrs. dist. of
a Beech 22 " " " N 2 W 32 " "
79.94 to Sec. Corner.

North Between Sec. 2 & 3, T6 N. R5 E.

35.40 a Sugar 16 in. dia.
40.00 Let q. Sec. post, from which
a Beech 30 in. dia. - bray S 20 W 26 lrs. dist. of
a No. 8 " " " N 24 E 26 " "
53.00 a Sugar 20 " "
76.50 Intersected the N. boundary 104 lrs. N. of post
Let a post Cor. to Sec. 2 & 3, from which
a Sugar 12 in. dia. - bray N 66 W 16 lrs. dist. of
a No. 5 " " " N 65 E 13 " "
Level bottom 1st rate, Sugar, Beech, Walnut
Oak, Poplar &c. underg^g. Spruce.

East On Land^m. between Sec. 15 & 22, T6 N. R5 E

From post on old boundary line
6.44 to Right bank of White River
25.80 to Right bank of River again (E side of bend)
31.09 Intersected the N. & South lines 578 lrs. S. of post
Over low bottom, Sycamore, Cottonwood &c.

West Corrected between Sec. 15 & 22

5.29 Let post on Right bank of River, from which
a Mulberry 6 in. dia. - Marked for Corner
a Cherry 6 " " bray N 50 E 9 lrs. dist. of
24.65 Let post on Right bank W. side of bend, from which
a Hornbeam 4 in. dia. - bray South 7 lrs. dist. of
a Red bud 8 " " " N 8 E 6 " "

T6N R5E.T. Mer. Indiana

31.09 to Corner on Boundary
August. 26th. 1819

North Between Sec. 10 & 15, T6N, R5E.

From post on old boundary line

3.81 Set of Sec. post, from which
a Gum 24 mi. dist. bear S45 E 19 lns. dist. of
a Beech 18 " " " N30 W 48 " "

23.50 a Beech 24 " "

43.81 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a W. Ash 18 mi. dist. bear S31 E 35 lns. dist. of
a Beech 15 " " " S70 W 15 " "
Over 1st rate land, Beech, Sugar, Ash, Walnut &c

East On Rand^m. betwⁿ. Sec. 10 & 15, T6N, R5E.

40.00 Set temp^y. of Sec post

79.50 Intersected the N & S. line 579 lns. S. of post
1st rate Bottom, Beech, Sugar, Ash, Buckeye
Walnut &c. undgth. Spice & prairie

West Corrected between Sec. 10 & 15

39.75 Set of Sec. post, from which (at average dist)
a Beech 24 mi. dist. bear S4 W 17 lns. dist. of
a Do. 20 " " " N15 W 52 " "

79.50 to Sec. Corner.

North Between Sec. 9 & 10, T6N, R5E.

28.79 a Beech 15 mi. dist.

40.00 Set the of Sec. post, from which
a Beech 18 mi. dist. bear S46 E 20 lns. dist. of
a Do. 8 " " " N55 W 18 " "

70.39 a Sugar 15 " "

80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which

T6N R5E. 2^d. Mer. Indiana

a Hickory 8 in. dia. bray N62W 23 lks. dist. of
an Ash 4 " " " S50E 20 " "
Land level 1st rate, Beech, Sugar, Hickory
Ash &c. undng. th Spruce &c.

East On Rand^m. between Sec. 3 of 10, T6N. R5E
40.00 Set temp^y. g^r. Sec. post
79.88 Intersected the N & S. line 597 lks. S. of post
Land level 1st rate, Sugar, Beech, Ash &c.
undng. th Spruce &c.

West Corrected between Sec. 3 of 10, T6N. R5E.
39.95 Set g^r. Sec. post, at average dist. from which
a Mulberry 6 in. dia. ^{bray} N69W 10 lks. dist. of
a Sugar 10 " " " N11E 37 " "
79.88 to Sec. Corner.

North Between Sec. 3 of 4, T6N. R5E.
22.30 a Beech 20 in. dia.
40.00 Set g^r. Sec. post, from which
a Beech 16 in. dia. bray S67W 9 lks. dist. of
a Hackberry 18 " " " N63E 26 " "
65.15 a Beech 18 " "
79.74 Intersected N boundary 42 lks. N. of post
Set a post Cor. to Sec. 3 of 4.
(Bearings Omitted)
Land level 1st rate, Beech, Sugar, Hackberry
undng. th Spruce &c. Aug. 27th 1819

East On Rand^m. between Sec. 9 of 16, T6N. R5E.
17.84 Set temp^y. g^r. Sec. post
57.54 Intersected the N & S. line 114 lks. S. of post
Land level 1st rate, Beech, Ash, Poplar

T6N-R5E. 2^d Mer. IndianaIngar, undugth. Spice &c.

West Corner between Sec. 9 & 10

39.84 Set gr. Sec. post on true line, from which
a Beech 18 in. diam. bray S 38 W 3 lks. dist. of
a Do. 16 " " " N 7 E 4 1/2 " "

57.54 to Corner on boundary

North Between Sec. 8 & 9, T6N-R5E.

From post. on Indian boundary

23.40 Set gr. Sec. post, from which
a Beech 15 in. diam. bray S 80 W 4 lks. dist. of
a Do. 5 " " " N 47 E 1 1/2 " "

32.28 a W. Elm 18 " "

37.50 enter a Swamp

63.40 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a W. Ash 12 in. diam. bray N 82 E 14 lks. dist. of
a Do. 24 " " " S 80 W 4 1/2 " "Over level bottom land, Beech, Ash, Poplar
Oak &c. undugth. SpiceEast On Rand^m. between Sec. 4 & 9, T6N-R5E..40.00 Set temp^y. gr. Sec. post80.30 Intersected thicket of S. hick 170 lks. S. of post
Over wet & swampy land W. Ash, Maple &c.
undugth. Pecummon & Swamp bushes

West Corner between Sec. 4 & 9

40.15 Set gr. Sec. post at average dist. from which
a Maple 18 in. diam. bray N 21 E 28 lks. dist. of
a Do. 12 " " " S 70 W 26 " "

80.30 to Sec. Corner.

T6 N. R5 E. 2nd Mer. Indiana

413

North Between Sec. 4 & 5, T6 N. R5 E.

28.00 leave the swamp

40.00 Set the q^r. Sec. post, from which
a Beech 8 in. dia. tray N4E9 lks. dist. of
a Do. 10 " " " N35W27 " "

50.31 a W. Elm 10 " "

79.70 Intersected the N. boundary 43 lks. west of
post - Set a post Cor. to Sec. 4 & 5, from which
a Beech 12 in. dia. tray N14E25 lks. dist. of
a Do. 16 " " " S21E30 " "

Over wet swampy ground, ash, Beech &c.

North Between Sec. 7 & 8, T6 N. R5 E.

Commencing on the old boundary line

4.67 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Hickory 12 in. dia. tray East 18 lks. dist. of
a W. Ash 8 " " " N74W17 " "
(description of land &c. Omitted)

East On Rand. between Sec. 5 & 8, T6 N. R5 E.

East Between Sec. 6 & 7, T6 N. R5 E

from post on the old boundary line

6.30 Intersected at the corner of Sec. 5, 6, 7 & 8

T6 N. R5 E. 2^d. Mer Indiana

North Between Sec. 5 & 6, T6 N. R5 E.

21.30 a Beech 12 in. diam.

40.00 Set of Sec. post, from which
a Beech 12 in. diam. bear N16 E 25 lbs. dist. of
a Do. 10 " " " N23 E 27 " "

58.70 a Hickory 12 " "

77.40 Intersected the N. boundary 72 lbs. W. of post
at a post Cor. to Sec. 5 & 6, from which
a Beech 10 in. diam. bear N40 W 10 lbs. dist. of
a W. Oak 15 " " " N80 E 16 " "
Over 2^d. rate rolling ground, Beech, Hickory, ash
& underg^g. Spruce & small Beech, Aug. 28th 1819

Meanders of the East Fork of White River in
that part of T6 N. R5 E. in the New Purchase
Commencing at a post in the E. boundary.
Thence down stream on the Right bank.

N70 W 12.50 in Sec. 1.

S75 W 5.00

S65 W 9.00 to line between Sec. 1 & 12

S40 W 5.50 in Sec. 12

S73 W 7.00

N60 W 7.00

to the q. Sec. Cor. on line betwⁿ Sec. 1 & 12

N65 W 7.80 in Sec. 1

to line between Sec. 1 & 12

S10 W 5.00 in Sec. 12

S40 E 11.50

S32 E 12.85

S25 W 8.00

T6 N R25 E. 2^d Mer. Indiana

415

N80W 6.00

N55W 8.00

N73W 8.00

S85W 7.00

———— to line between Sec. 11 & 12

S64W 4.00 in Sec. 11

S30W 14.70

S9W 6.80

S42E 5.50

S5E 6.50

———— to line between Sec. 11 & 12

———— to line between Sec. 12 & 13

———— to line between Sec. 13 & 14

———— to line between Sec. 11 & 14

N50W 4.00 in Sec. 11

———— to line between Sec. 11 & 14

S46W 7.00 in Sec. 14.

S3W 13.85

S12E 12.50

S46W 7.34

N69W 15.50

S30W 13.20

S32E 18.14

S42W 9.21

S82W 16.68

S36W 10.40

———— to line between Sec. 14 & 23

S6N R5 E. T^h. Mer. Indiana

S33E 8.00	mi Sec. 23.
S42W 9.50	
S70W 4.00	
S40W 5.50	
S65W 10.50	
— —	to line between Sec. 22 & 23
N31W 7.50	mi Sec. 22
— —	to line between Sec. 15 & 22
N56W 7.50	mi Sec. 15
N35W 8.00	
— —	to line between Sec. 15 & 22
S30W 3.00	mi Sec. 22
— —	to Corner on boundary line of Harrison's Purchase. Aug. 29. 1819

Meander of the Left bank of the East
Fork of White River—Commencing at a
corner on the boundary line of Harrison's
Purchase, thence up stream.

N37E 5.00	mi Sec. 22
N70E 10.50	
S60E 5.00	
S2E 8.20	
S15E 7.00	
— —	to line between Sec. 22 & 23
S80E 6.00	mi Sec. 23.
N57E 15.00	
N62E 6.15	
N28E 5.00	

S6N R5E, T² Mer. Indiana

417

————— to line between Sec. 14 & 23
~~N41W 12.00 mi Sec. 14~~

N42W 15.50 mi Sec. 14

N40E 7.77

N82E 3.25

S65E 6.85

N75E 10.00

N31E 11.00

North 4.00

N25W 6.50

N46W 8.60

N40E 7.39

S52E 6.30

S85E 6.32

N66E 7.50

N30E 8.64

N81W 5.68

N22W 12.50

N42E 12.00

S73E 5.27

S42E 4.50

————— to line between Sec. 13 & 14

N66E 7.50 mi Sec. 13

————— to line between Sec. 12 & 13

————— to line between Sec. 11 & 12

N15W 8.36 mi Sec. 11

N4W 4.50

N23W 6.10

N40W 6.14

N23E 9.00

S6N R5E. 2^d. Mer. Indiana

 to line between Sec. 11 & 12

N65E 10.00 in Sec. 12

S77E 10.79

S56E 8.50

S85E 7.70

N44E 10.25

N15E 6.10

N25W 6.64

N34W 8.78

N36E 4.65

S67E 10.00

East 5.50

 to line between Sec. 1 & 12

N70E 10.00 in Sec. 1

 to post on E. boundary of township
August 30th 1819

Surveyed by Nathaniel F. Morris, d.S.

Note - It appears that Mr. Morris has left the last Course & distance in each Section blank, (I think) to enable the draughtsman to substitute any Course and distance that would make it close; this is convenient, but is it right? S. M.

Meanders of the East Fork of White river in Harrison's Purchase by Arthur Morris commencing at the Boundary line, thence down stream on the Left Bank.

S7W 6.00 in Sec. 22

S17E 40.00

T6N R5E. T. Mer. Indiana

419

S14N 12.00	
S36N 13.50	
N60N 12.50	
N42N 12.50	
S67N 35.00	
S60N 5.50	to line between Sec. 22 & 27
S63N 6.92	in Sec. 27 — to line between Sec. 27 & 28
S65N 5.50	in Sec. 28
N43N 8.00	to line between Sec. 21 & 28
N43N 3.00	in Sec. 21.
N39N 7.00	
West 7.50	
S23N 8.50	to line between Sec. 21 & 28 (again)
S22N 22.00	in Sec. 28, T6N, R5E.
S39N 17.00	
S25N 14.00	
S77N 13.50	
S72N 14.77	to line between Sec. 28 & 29
S67N 8.00	in Sec. 29, T6N, R5E.
S80N 9.00	
S32N 7.50	
South 7.50	
S9E 3.22	to line between Sec. 29 & 32
S9N 10.00	in Sec. 32, T6N, R5E.
S70N 11.00	
West 28.00	a Spring
S60N 17.00	

T6N R5E 2^d Mer. Indiana

N70W 7.00 to line between Secs. 31 & 32

N35W 18.00 in Sec. 31, T6N, R5E.

N82W 53.00

N63W 19.50

N22W 16.00

N37W 5.50 to line between Ranges 4 & 5 East

[Meandering of the Right Bank of the E.
Fork of W. River, beginning at post on
line between Ranges 4 & 5 East, thence up
Stream.

N27E 9.00 in Sec. 31

N62E 23.00

N82E 51.00

N33E 15.00

N60E 5.50 to line between Secs. 31 & 32

N60E 23.00 in Sec. 32

East 31.00

N30E 7.50 to line between Secs. 29 & 32

N7W 16.00 in Sec. 29

N44E 12.00

N71E 20.00 to line between Secs. 28 & 29

N71E 24.00 in Sec. 28

N24E 45.50 to line between Secs. 21 & 28

N24E 18.00 in Sec. 21

East 15.50

N45E 16.00

N69E 5.00 to line between Secs. 21 & 22

S. N. R. S. E. 2nd Mer. Indiana

N 69 E 47.50 mi Sec. 22, T6 N, R5 E.

1486 23.00

N70 E 8.50

\$29 8.00

N19W39.50

N23E 9.00 to the Indian boundary line

Taken in 1815 by Arthur Arnice, D.S.

Comp.

I hereby Certify that the foregoing transcript of
field notes, of Township N. 6. E. Range N. 5 East
T. Mer. Indiana, has been compared with the
original notes, in this Office, and found to be correct.
Surveyor General's Office, Cincinnati
March 1st 1842.

March 1st 1842.

W. L. L. L. L.
Sur. Genl.